





C LINE III




BUILT IN 15 STOP DIMMER.

The new C line version III has a slow start and down function and built-in dimming that can adjust the brightness in 15 steps you want.



C LINE DESIGN.

It completed beautiful design with tropical green and functions.



DENSE RGB LED.

New C line is 20% brighter and has 40% higher RGB ratio than Version II for vivid color.

C LINE COLOR GRADING.

More bright and richer RGB light bring more vivid colors in the aquarium.

600C II

33

RGB LED

1625

Brightness(lm)

600C III

56

RGB LED

2056

Brightness(lm)

C LINE III SPECIFICATION

MODEL	TANK SIZE (mm)	GLASS THICKNESS (mm)	NUMBER OF LED		POWER CONSUMPTION (W)	BRIGHTNESS (lm)
			WHITE	RGB		
200C	200x200x200	5	21	22	9	581
300C	300x180x240	5	21	22	16	1028
450C	450x270x300	6	30	30	24	1542
600C	600x300x360	8	42	50	32	2056
900C	900x450x450	12	70	82	45	2891
1200C	1200x450x450	12	84	106	62	3984

TWINSTAR

A. #2102, Centurm Sky Biz, Heanda Gu, Busan, Korea.
T. +82 911 3939 E. sales@twinstar.kr W. www.twinstar.kr