

A small, cylindrical terrarium with a wooden base sits on a dark wooden desk. Inside the terrarium, several succulents of various shapes and colors (green, blue-green) are planted in a layer of brown soil. A black desk lamp with a long, thin light bar is positioned above the terrarium, casting a soft glow. In the background, a brass sprayer and other desk items are visible, creating a vintage, workshop-like atmosphere.

# FLAT NANO<sup>+</sup>

Smart Desktop Plant Lighting



*Bring nature into your life*

*- with ONF*

# ① Small But Powerful

Perfect balance between aesthetics and engineering

## Non-volatile memory

Memorize its brightness before turning off, which can be used with an external timer.

## Dimmable



Increment of 100% - 75% - 50% - 25% - 100%

## Gradual ramp up & down

In order to protect human eyes and not shock tank inhabitants

## Adjustable in angle and height

Compatible with various Nano tanks, easy for creation and maintenance.



## ② Vivid And Larger Than Life

ONF exclusive customized ColorFull LED for all range plants, which is combining advantage of three wavelengths and full spectrum light color, the color is closer to the real but more dazzling, which brightens up the aquatic plants vividly and clearly.



Succulent plants



Moss



Tropical plants




Caudex plants



Aquatic plants




Valerian



### ③ Easier Than Ever

Via ONF Link you can manage multiple devices and adjust the brightness. Additionally, you can create a personal daylight circle up to five groups, to simulate the circadian rhythm of natural sunlight.



Download the ONF Link app on





**FLAT NANO +**  
(STAND)




**FLAT NANO**  
(STAND)

App control	✓	-
Color	Black	Black / Silver / Rose gold
Size	L24 x W23 x H22.5-36 (cm) / L9.4 x W9 x H8.8-14 (in)	
Weight	1220g / 2.68lb	
Color temperature	7000K	
Luminous flux	1300lm	
Input voltage	100-240VAC, 50/60Hz	
LED lifetime	50,000hr	
Power consumption	15W	
Number of LED	60 units	
Beam angle	110°	
IP	IP54	
Operating temperature	0-40°C	
Volume	2-9 gallons ( 25cm to 30 cm tanks )	



 [www.onf.com.tw](http://www.onf.com.tw)

 [onf\\_lighting](https://www.instagram.com/onf_lighting)

 ONF Taiwan